

IN THE CLAIMS

The following listing of claims will replace all prior versions, and listings of claims in this application:

Claims 1-12 (Cancelled).

13. (Currently Amended) A method of protecting a plant from insects comprising treating the plant with a composition comprising a at least one insecticidal polypeptide which is obtained from the seeds of a legume and defined by having a sequence of the formula I (SEQ ID NO:1) (I):



wherein C represents a cysteine residue, X<sub>1</sub> represents a dipeptide ~~an amino acid or a sequence of 2 to 10 amino acids~~, X<sub>2</sub> represents a tripeptide ~~an amino acid or a sequence of 2 to 5 amino acids~~, X<sub>3</sub> represents a heptapeptide ~~a sequence of 4 to 10 amino acids~~, X<sub>4</sub> represents a tetrapeptide ~~a sequence of 3 to 10 amino acids~~, X<sub>5</sub> represents an amino acid ~~or a sequence of 2 to 4 amino acids~~, X<sub>6</sub> represents a nonapeptide ~~a sequence of 7 to 15 amino acids~~, and X<sub>7</sub> represents a pentapeptide and wherein said sequence has at least 60% identity with SEQ ID NO:6 or SEQ ID NO:7 ~~an amino acid or a sequence of 2 to 10 amino acids~~.

Claim 14 (Cancelled).

15. (Currently Amended) The method of Claim 13, wherein

X<sub>1</sub> satisfies the sequence y<sub>1</sub>y<sub>2</sub> wherein y<sub>1</sub> and y<sub>2</sub> each represent an amino acid selected from the group consisting of alanine, serine, glycine and threonine; or

y<sub>1</sub> represents an amino acid selected from the group consisting of alanine, serine, glycine and threonine, and y<sub>2</sub> represents glutamic acid or aspartic acid;

X<sub>2</sub> satisfies the sequence y<sub>3</sub>y<sub>4</sub>y<sub>5</sub> wherein y<sub>3</sub> represents glutamine or asparagine, and y<sub>4</sub> and y<sub>5</sub> each represent an amino acid selected from the group consisting of alanine, serine, glycine, threonine, valine, leucine, isoleucine and methionine;

X<sub>3</sub> satisfies the sequence y<sub>6</sub>y<sub>7</sub>y<sub>8</sub>y<sub>9</sub>y<sub>10</sub>y<sub>11</sub>y<sub>12</sub> wherein y<sub>6</sub> represents an amino acid selected from the group consisting of alanine, serine, glycine and threonine, y<sub>7</sub>, y<sub>11</sub> and y<sub>12</sub> each represent proline, y<sub>8</sub> represents an amino acid selected from the group consisting of phenylalanine, tryptophan and tyrosine, y<sub>9</sub> represents aspartic acid or glutamic acid, and y<sub>10</sub> represents an amino acid selected from the group consisting of valine, leucine, isoleucine and methionine;

X<sub>4</sub> satisfies the sequence y<sub>13</sub>y<sub>14</sub>y<sub>15</sub>y<sub>16</sub>, wherein y<sub>13</sub>, y<sub>14</sub>, y<sub>15</sub> and y<sub>16</sub> each represent an amino acid selected from the group consisting of alanine, serine, glycine and threonine, or y<sub>14</sub> represents an amino acid selected from the group consisting of alanine, serine, glycine and threonine, y<sub>13</sub> and y<sub>15</sub> each represent a basic amino acid, and y<sub>16</sub> represents aspartic acid or glutamic acid;

X<sub>5</sub> represents a basic amino acid;

X<sub>6</sub> satisfies the sequence y<sub>17</sub>y<sub>18</sub>y<sub>19</sub>y<sub>20</sub>y<sub>21</sub>y<sub>22</sub>y<sub>23</sub>y<sub>24</sub>y<sub>25</sub>, wherein y<sub>17</sub>, y<sub>19</sub>, y<sub>21</sub> and y<sub>23</sub> each represent an amino acid selected from the group consisting of valine, leucine, isoleucine and methionine, y<sub>18</sub> represents proline, y<sub>20</sub> and y<sub>24</sub> each represent an amino acid selected from the group consisting of alanine, serine, glycine and threonine, y<sub>22</sub> represents an amino acid selected from the group consisting of valine, leucine, isoleucine, methionine, phenylalanine, tryptophan and tyrosine, and y<sub>25</sub> represents an amino acid selected from the group consisting of phenylalanine, tryptophan and tyrosine;

X<sub>7</sub> satisfies the sequence y<sub>26</sub>y<sub>27</sub>y<sub>28</sub>y<sub>29</sub>y<sub>30</sub> wherein y<sub>26</sub> represents a basic amino acid or an amino acid selected from the group consisting of valine, leucine, isoleucine and methionine, y<sub>27</sub> represents asparagine or glutamine or a basic amino acid, y<sub>28</sub> represents proline, and y<sub>29</sub> and y<sub>30</sub> each represent an amino acid selected from the group consisting of alanine, serine, glycine and threonine.

Claims 16 and 17 (Cancelled).

18. (Previously Presented) The method of Claim 13, wherein said plant is a cereal producing plant.

19. (Previously Presented) The method of Claim 13, wherein said polypeptide is present in a concentration of 10  $\mu\text{mol/kg}$  to 100 mmol/kg.

20. (Previously Presented) The method of Claim 19, wherein said polypeptide is present in a concentration of 50  $\mu\text{mol/kg}$  to 10 mmol/kg.

Claims 21-26 (Cancelled).

27. (New) The method of Claim 13, wherein the at least one insecticidal polypeptide is selected from the group consisting of SEQ ID NO:6, SEQ ID NO:7, and SEQ ID NO:8.

28. (New) The method of Claim 27, wherein the at least one insecticidal polypeptide is SEQ ID NO:6.

29. (New) The method of Claim 27, wherein the at least one insecticidal polypeptide is SEQ ID NO:7.

30. (New) The method of Claim 27, wherein the at least one insecticidal polypeptide is SEQ ID NO:8.

31. (New) The method of Claim 13, wherein said polypeptide is used for protecting cereal seeds or products derived from cereal seeds, against insect pests.